

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 05/07/2019 Revision date: 05/12/2020 Version: 3.0

SECTION 1: Identification

Product identifier

Product name : Micro-Kleen³ Disinfectant Surface Wipes

Product code : MKW06-100

Relevant identified uses of the substance or mixture and uses advised against

: Cleaner / Disinfectant / Deodorizer. Recommended uses and restrictions

Details of the supplier of the safety data sheet

Manufacturer Weiman Products 755 Tri-State Parkway 60031 Gurnee, IL T 1-800-837-8140

Distributor

Amrak Healthcare Canada, Inc 155 Powerline Road Bantford, ON N3T 5L8 Canada

T. 1-888-752-3920

1.4. **Emergency telephone number**

: 1-800-535-5053 **Emergency number**

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-CA classification

Flam. Liq. 3 H226 Eye Irrit. 2B H319

Label elements

GHS-CA labelling

Hazard pictograms (GHS-CA)



Signal word (GHS-CA)

Hazard statements (GHS-CA) H226 - Flammable liquid and vapour

H320 - Causes eye irritation

Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P264 - Wash hands, forearms and face thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container in accordance with local / regional / national /

international regulation

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS-CA)

Not available

SECTION 3: Composition/information on ingredients

Substances

Not applicable

05/07/2019 EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

2			re	

Name	Product identifier	%
Isopropyl alcohol	(CAS-No.) 67-63-0	10 - 30
2-Butoxyethanol	(CAS-No.) 111-76-2	1 - 5
n-Alkyl dimethyl benzyl ammonium chloride	(CAS-No.) 68391-01-5	0.154
n-Alkyl dimethyl ethylbenzyl ammonium chloride	(CAS-No.) 85409-23-0	0.154

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to

do, remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. Get medical advice/attention if you feel

unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

skin.

Symptoms/injuries after eye contact : Causes eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with marked redness and swelling of the conjunctiva.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water fog, carbon dioxide, dry chemical or alcohol foam.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Products of combustion may include, and are not limited to:

oxides of carbon.

Reactivity : No dangerous reaction known under conditions of normal use.

5.3. Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel. Eliminate sources of ignition.

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable

container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal

Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

6.4. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

05/07/2019 EN (English) 2/6

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Avoid contact with skin and eyes. Avoid breathing dust / fume / gas / mist / vapours / spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed.

Storage conditions

: Keep locked up and out of reach of children. Keep container tightly closed and in a well-

ventilated place. Keep cool.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isopropyl alcohol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm
IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
NIOSH	NIOSH REL (TWA) (mg/m³)	980 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	1225 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	500 ppm

2-Butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
IDLH	US IDLH (ppm)	700 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	24 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	5 ppm

8.2. Exposure controls

Appropriate engineering controls

: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapour, etc.) below

recommended exposure limits.

None required for normal use.

Eye protection
Skin and body protection

: Wear suitable protective clothing for operations which may result in prolonged or repeated skin

contact.

Respiratory protection

: None normally required.

Environmental exposure controls

: Maintain levels below Community environmental protection thresholds.

Other information

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Wipes saturated with liquid.

Odour : alcohol-like
Odour threshold : No data available

pH : 7.6

pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available

05/07/2019 EN (English) 3/6

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Relative evaporation rate (ether=1) No data available Melting point No data available Freezing point No data available Boiling point No data available 30 °C (86 °F) TCC Flash point Auto-ignition temperature No data available No data available Decomposition temperature Flammability (solid, gas) Flammable Vapour pressure No data available Vapour pressure at 50 °C No data available Relative vapour density at 20 °C No data available

Relative density : 0.97

Relative density of saturated gas/air mixture No data available Density No data available Relative gas density No data available Solubility No data available. Partition coefficient n-octanol/water No data available Log Kow No data available Viscosity, kinematic : No data available Viscosity, kinematic (calculated value) (40 °C) No data available Explosive properties No data available No data available Oxidising properties No data available **Explosive limits** No data available Lower explosive limit (LEL) Upper explosive limit (UEL) No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition.

10.5. Incompatible materials

Oxidizers.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified.

Micro-Kleen³ Disinfectant Surface Wipes		
LD50 oral rat	> 2000 mg/kg (Calculated Acute Toxicity Estimate)	
LD50 dermal rabbit	> 2000 mg/kg (Calculated Acute Toxicity Estimate)	
LC50 inhalation rat	> 20 mg/l/4h (Calculated Acute Toxicity Estimate)	
Isopropyl alcohol (67-63-0)		
LD50 oral rat	1870 mg/kg	
LD50 dermal rabbit	4059 mg/kg	
LC50 inhalation rat	72600 mg/m³/4h	
2-Butoxyethanol (111-76-2)		
LD50 oral rat	470 mg/kg	
LD50 dermal rabbit	99 mg/kg	

05/07/2019 EN (English) 4/6

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

2-Butoxyethanol (111-76-2)	
LC50 inhalation rat	450 ppm/4h
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable
2-Butoxyethanol (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
0=0=10N 40 = 1 : 1: 6 (

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Micro-Kleen ³ Disinfectant Surface Wipes	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Micro-Kleen ³ Disinfectant Surface Wi	es
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal

regulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with Transportation of Dangerous Goods

Transportation of Dangerous Goods

Not regulated

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

SECTION 16: Other information

Revision date : 05/11/2020	Date of issue	: 05/07/2019
	Revision date	: 05/11/2020
Version : 3.0	Version	: 3.0

05/07/2019 EN (English) 5/6

Safety Data Sheet according to the Hazardous Products Regulations (HPR) WHMIS 2015

Indication of changes : None. Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

05/07/2019 EN (English) 6/6