according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diaspacer Thinner

Product code:

90060

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Company name: DIASWISS SA

Street: Rte de St Cergue 293

Place: CH-1260 Nyon

Telephone: +41 (0) 22 301 56 00

Contact person: Nghia Diep e-mail: mail@diaswiss.ch

Internet: http://www.diaswiss.ch

1.4. Emergency telephone +41 (0) 22 301 56 00 Mo-Fr 9 a.m. – 3 p.m. UTC+1

number:

SECTION 2: Identification of hazards

2.1. Classification of the substance or mixture

Indications of danger: F - Highly flammable, Xn - Harmful, Xi - Irritant

R phrases:

Highly flammable. Irritating to eyes.

Harmful: may cause lung damage if swallowed.

Repeated exposure may cause skin dryness or cracking.

Vapors may cause drowsiness and dizziness.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

2.2. Label elements

Hazardous components which must be listed on the label

acetone; propan-2-one; propanone

ethyl acetate

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Danger

Pictograms: GHS02-GHS07

according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 2 of 11





Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Safety recommendations

Ávoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: use alcohol resistant foam, carbon dioxide (CO2), extinguishing powder, water spray jet to extinguish.

Keep cool.

Store in a well-ventilated place. Keep container tightly closed.

Special labelling of certain mixtures

Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
205-500-4	ethyl acetate	25 - < 50 %
141-78-6	F - Highly flammable, Xi - Irritant R11-36-66-67	
607-022-00-5	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066	
200-662-2	acetone; propan-2-one; propanone	25 - < 50 %
67-64-1	F - Highly flammable, Xi - Irritant R11-36-66-67	
606-001-00-8	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066	
01-2119471330-49		
200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	10 - < 25 %
67-63-0	F - Highly flammable, Xi - Irritant R11-36-67	
603-117-00-0	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
203-603-9	2-methoxy-1-methylethyl acetate	5 - < 10 %
108-65-6	R10	

according to Regulation (EC) No 1907/2006

		Diaspacer Thinner	
	Print Date: 21.04.2015		Page 3 of 11
ľ	607-195-00-7	Flam. Liq. 3; H226	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid

4.1. Description of first aid measures

After inhalation

Provide fresh air. In case of accident or indisposition, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Mind the risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing devices

Suitable extinguishing devices

Water spray jet, carbon dioxide (CO2), foam, extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Highly flammable, vapors can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: wear self-contained breathing apparatus.

Use water spray jet to protect persons and to cool endangered containers. Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow water to enter drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Do not breathe gas/fumes/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 4 of 11

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapor/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharge. Vapors can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: oxidizing agent, pyrophoric or self-heating substances.

7.3. Specific end use(s)

Coatings and paints, thinners, paint removers

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
108-65-6	1-Methoxypropyl acetate	50	274		TWA (8 h)	WEL
		100	548		STEL (15 min)	WEL
67-64-1	Acetone	500	1210		TWA (8 h)	WEL
		1500	3620		STEL (15 min)	WEL
141-78-6	Ethyl acetate	200	-		TWA (8 h)	WEL
		400	-		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls









Appropriate engineering controls

If handled uncovered, equipment with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapor/spray.

Remove contaminated, soaked clothing immediately. Draw up and observe skin protection program. Wash hands and face before breaks and after work and take a shower if necessary. Do not consume food or drinks while using the product.

Eye/face protection

Suitable eye protection: goggles.

according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 5 of 11

Hand protection

When handling chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals should be chosen depending on the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Color: colorless
Odor: characteristic

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: 56 $^{\circ}$ C Flash point: < -20 $^{\circ}$ C

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: 2 vol. %
Upper explosion limits: 14,3 vol. %
Ignition temperature: 315 °C

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapor pressure: 246 hPa

(at 20 °C)

Vapor pressure: 814 hPa

(at 50 °C)

Density: 0,84 g/cm³ Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: 0,5 mPa·s

(at 20 °C)

Vapor density: not determined

according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 6 of 11

Evaporation rate: not determined Solvent content: 93,00 %

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable, ignition hazard.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Acute toxicity

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
141-78-6	ethyl acetate				
	oral	LD50	10200 mg/kg	Rat	IUCLID
	dermal	LD50	> 20000 mg/kg	Rabbit	IUCLID
67-64-1	acetone; propan-2-one; propar	none			
	oral	LD50	5800 mg/kg	Rat	ECHA
	dermal	LD50	> 7426 mg/kg	Rabbit	ECHA
	inhalative (4 h) vapour	LC50	76 mg/l	Rat	ECHA
67-63-0	propan-2-ol; isopropyl alcohol;	isopropanol			
	oral	LD50	5840 mg/kg	Rat	OECD 401
	dermal	LD50	12800 mg/kg	Rabbit	GESTIS
108-65-6	2-methoxy-1-methylethyl acetate				
	oral	LD50	8532 mg/kg	Rat	EPA OPP 81-1
	dermal	LD50	> 5000 mg/kg	Rabbit	OECD 402

Irritation and corrosivity

Causes serious eye irritation.

according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 7 of 11

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (ethyl acetate), (acetone; propan-2-one; propanone), (propan-2-ol; isopropyl alcohol; isopropanol)

Severe effects after repeated or prolonged exposure

Repeated exposure may cause skin dryness or cracking.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source		
141-78-6	ethyl acetate							
	Acute fish toxicity	LC50	220 mg/l	96 h	Pimephales promelas (fathead minnow)	IUCLID		
	Acute crustacea toxicity	EC50	717 mg/l	48 h	Daphnia magna (Big water flea)	IUCLID		
	Fish toxicity	NOEC	9.65 mg/l	4 d	Pimephales promelas (fathead minnow)			
	Algea toxicity	NOEC	> 100 mg/l	3 d	Scenedesmus subspicatus	OECD 201		
	Crustacea toxicity	NOEC	2.4 mg/l		Daphnia magna (Big water flea)			
67-64-1	34-1 acetone; propan-2-one; propanone							
	Acute fish toxicity	LC50	6210 mg/l	96 h	Pimephales promelas (fathead minnow)	OECD 203		
	Acute crustacea toxicity	EC50	8800 mg/l	48 h	Daphnia pulex (water flea)	ECHA		
	Crustacea toxicity	NOEC	> 1106 mg/l	28 d	Daphnia magna (Big water flea)	IUCLID		
	Acute bacteria toxicity	(61150	mg/l)	0,5 h	Activated sludge	OECD 209		
67-63-0	propan-2-ol; isopropyl alcoh	ol; isopropano	ol					
	Acute fish toxicity	LC50	8970 mg/l	96 h	Leuciscus idus (golden orfe)	IUCLID		
	Acute crustacea toxicity	EC50	9714 mg/l	48 h	Daphnia magna (Big water flea)	IUCLID		
108-65-6	2-methoxy-1-methylethyl ac	etate						
	Acute fish toxicity	LC50	161 mg/l	96 h	Pimephales promelas	OECD 203		
	Acute crustacea toxicity	EC50	408 mg/l	48 h	Daphnia magna	OECD 202		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation		,			

according to Regulation (EC) No 1907/2006

	Diaspacer	Thinner				
rint Date: 21.	04.2015			Page 8 of 11		
141-78-6	ethyl acetate					
	OECD 301 C	43%	5			
	Readily biodegradable (according to OECD criteri	ia).				
	OECD 301 B	93,9%	28			
	Readily biodegradable (according to OECD criteria).					
Water-sediment test 99,9% 6						
	Readily biodegradable (according to OECD criter	ia).	•			
67-64-1	acetone; propan-2-one; propanone					
	Carbon dioxide-Concentration	90,9 %	28	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C		
	Readily biodegradable (according to OECD criteri	ia).	-			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	OECD 301E, C.4-B	> 95 %	28	IUCLID		
	Readily biodegradable (according to OECD criteri	ia).				
108-65-6	2-methoxy-1-methylethyl acetate					
	OECD 301F	99%	28			
	Readily biodegradable (according to OECD criteri	ia).	-			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-78-6	ethyl acetate	0,73
67-64-1	acetone; propan-2-one; propanone	-0,24
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05
108-65-6	2-methoxy-1-methylethyl acetate	0,43

BCF

CAS No	Chemical name	BCF	Species	Source
141-78-6	ethyl acetate	30	Leuciscus idus (golden orfe)	
67-64-1	acetone; propan-2-one; propanone	3		ECHA

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures Classified as hazardous waste.

Waste disposal number of used product

according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 9 of 11

WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08); waste organic 140603

solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures Classified as hazardous waste.

Waste disposal number of contaminated packaging

WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging

waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1263

14.2. UN proper shipping name: Paint related material

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3



Classification code:

Special provisions: 163 640C 650

Limited quantity: 5 L Transport category: 2 Hazard No: 33 D/E Tunnel restriction code:

Other applicable information (land transport)

Excepted quantity: E2

Inland waterways transport (ADN)

UN 1263 14.1. UN number:

14.2. UN proper shipping name: Paint related material

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: 3

Hazard label:



Classification code:

Special provisions: 163 640C 650

Limited quantity:

Other applicable information (inland waterways transport)

Excepted quantity: E2

Marine transport (IMDG)

UN 1263 14.1. UN number:

14.2. UN proper shipping name: Paint related material

according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 10 of 11

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special provisions: 163
Limited quantity: 5 L
EmS: F-E, S-E

Other applicable information (marine transport)

Excepted quantity: E2

Air transport (ICAO)

14.1. UN number: UN 1263

14.2. UN proper shipping name: Paint related material

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special provisions: A3 A72 Limited quantity passenger: 1 L

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

Other applicable information (air transport)

Excepted quantity: E2 Passenger-LQ: Y341

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: Combustible liquids.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): 100 % (840 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe employment restrictions for adolescents.

Water contaminating class (D): 1 - slightly water contaminating

according to Regulation (EC) No 1907/2006

Diaspacer Thinner

Print Date: 21.04.2015 Page 11 of 11

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant R-phrases (Number and full text)

Flammable.

Highly flammable.

Irritating to eyes.

Repeated exposure may cause skin dryness or cracking.

Vapors may cause drowsiness and dizziness.

Relevant H- and EUH-phrases (Number and full text)

Highly flammable liquid and vapor.

Flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)